

Price List

DOBLO' EURO 5

Effective from 6th September 2011 / Revised on 1st February 2012



Price List - Changes

DOBLO' EURO 5



Effective from 6th September 2011 / Revised on 1st February 2012

NEW VERSIONS / OPTIONS

CODE	DESCRIPTION	BASIC PRICE	NOTE
263.112.05	CARGO 1.3 MULTIJET 16v DIESEL	13,040.00	new version without Stop&Start
263.B12.0	PLATFORM CAB 1.3 MULTIJET 16v DIESEL LWB	14,040.00	new version

CHANGES

CODE	DESCRIPTION	NOTE
199	BULKHEAD WITH WINDOW	25.00 available on Platform Cab
51X	INTERNAL HANDLE	20.00 available on Cargo

Technical Information & Performance

DOBLO' EURO 5

Effective from 6th September 2011 / Revised on 1st February 2012



Fuel Consumption†
MPG (l/100km)

Dimensions (mm)

Version Code	Model/Version description	Power (HP) at RPM	Max Torque (N.m) at RPM	Max Speed (MPH)	Payload Volume (m3)	Seats	Nominal Payload (Kg)	Body	Urban	Extra-urban	Combined	CO2 (g/km)	L	W	H	
CARGO BASE																
263.111.0	CARGO 1.4 16v Petrol STOP&START	95 at 6000	127 at 4500	100	3.4/4.0 ⁽⁺⁾	2	750/900*	N1	30.7 (9.2)	49.6 (5.7)	40.3 (7.0)	163	4390	1832	1845 [^]	
263.112.0S	CARGO 1.3 MULTIJET 16v DIESEL	90 at 4000	200 at 1500	98	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	4390	1832	1845 [^]	
263.112.0	CARGO 1.3 MULTIJET 16v DIESEL STOP&START	90 at 4000	200 at 1500	98	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	47.9 (5.9)	67.3 (4.2)	58.8 (4.8)	126	4390	1832	1845 [^]	
263.113.0	CARGO 1.6 MULTIJET 16v DIESEL 105 STOP&START	105 at 4000	290 at 1500	102	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	46.3 (6.1)	61.4 (4.6)	54.3 (5.2)	136	4390	1832	1845 [^]	
263.114.0	CARGO 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	43.5 (6.5)	55.4 (5.1)	50.4 (5.6)	148	4390	1832	1845 [^]	
263.116.0	CARGO 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	51.4 (5.5)	61.4 (4.6)	57.6 (4.9)	130	4390	1832	1845 [^]	
263.212.0	CARGO MAXI 1.3 MULTIJET 16v DIESEL STOP&START	90 at 4000	200 at 1500	98	4.2	2	1000	N1	47.1 (6.0)	65.7 (4.3)	57.6 (4.9)	129	4740	1832	1880	
263.213.0	CARGO MAXI 1.6 MULTIJET 16v DIESEL STOP&START	105 at 4000	290 at 1500	102	4.2	2	1000	N1	45.6 (6.2)	61.4 (4.6)	54.3 (5.2)	137	4740	1832	1880	
263.214.0	CARGO MAXI 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	4.2	2	1000	N1	43.5 (6.5)	55.4 (5.1)	50.4 (5.6)	148	4740	1832	1880	
263.216.0	CARGO MAXI 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	4.2	2	1000	N1	50.4 (5.6)	60.1 (4.7)	56.5 (5.0)	133	4740	1832	1880	
CARGO SX																
263.121.0	CARGO SX 1.4 16v Petrol STOP&START	95 at 6000	127 at 4500	100	3.4/4.0 ⁽⁺⁾	2	750/900*	N1	30.7 (9.2)	49.6 (5.7)	40.3 (7.0)	163	4390	1832	1845 [^]	
263.122.0	CARGO SX 1.3 MULTIJET 16v DIESEL STOP&START	90 at 4000	200 at 1500	98	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	47.9 (5.9)	67.3 (4.2)	58.8 (4.8)	126	4390	1832	1845 [^]	
263.123.0	CARGO SX 1.6 MULTIJET 16v DIESEL 105 STOP&START	105 at 4000	290 at 1500	102	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	46.3 (6.1)	61.4 (4.6)	54.3 (5.2)	136	4390	1832	1845 [^]	
263.124.0	CARGO SX 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	43.5 (6.5)	55.4 (5.1)	50.4 (5.6)	148	4390	1832	1845 [^]	
263.126.0	CARGO SX 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	3.4/4.0 ⁽⁺⁾	2	750/1000*	N1	51.4 (5.5)	61.4 (4.6)	57.6 (4.9)	130	4390	1832	1845 [^]	
263.222.0	CARGO MAXI SX 1.3 MULTIJET 16v DIESEL STOP&START	90 at 4000	200 at 1500	98	4.2	2	1000	N1	47.1 (6.0)	65.7 (4.3)	57.6 (4.9)	129	4740	1832	1880	
263.223.0	CARGO MAXI SX 1.6 MULTIJET 16v DIESEL 105 STOP&START	105 at 4000	290 at 1500	102	4.2	2	1000	N1	45.6 (6.2)	61.4 (4.6)	54.3 (5.2)	137	4740	1832	1880	
263.224.0	CARGO MAXI SX 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	4.2	2	1000	N1	43.5 (6.5)	55.4 (5.1)	50.4 (5.6)	148	4740	1832	1880	
263.226.0	CARGO MAXI SX 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	4.2	2	1000	N1	50.4 (5.6)	60.1 (4.7)	56.5 (5.0)	133	4740	1832	1880	
COMBI N1 ACTIVE																
263.331.0	COMBI N1 ACTIVE 1.4 16v Petrol STOP&START	95 at 6000	127 at 4500	100	0.8	5	710	N1	30.4 (9.3)	47.8 (5.9)	38.7 (7.3)	166	4390	1832	1845	
263.332.0	COMBI N1 ACTIVE 1.3 MULTIJET 16v DIESEL STOP&START	90 at 4000	200 at 1500	98	0.8	5	710	N1	47.1 (6.0)	65.7 (4.3)	57.6 (4.9)	129	4390	1832	1845	
263.333.0	COMBI N1 ACTIVE 1.6 MULTIJET 16v DIESEL 105 STOP&START	105 at 4000	290 at 1500	102	0.8	5	710	N1	46.3 (6.1)	60.1 (4.7)	54.3 (5.2)	138	4390	1832	1845	
263.334.0	COMBI N1 ACTIVE 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	0.8	5	710	N1	42.2 (6.7)	55.4 (5.1)	49.6 (5.7)	150	4390	1832	1845	
263.433.0	COMBI MAXI N1 ACTIVE 1.6 MULTIJET 16v DIESEL 105 STOP&START	105 at 4000	290 at 1500	102	1.1	5	800	N1	44.8 (6.3)	58.8 (4.8)	52.3 (5.4)	141	4740	1832	1880	
263.434.0	COMBI MAXI N1 ACTIVE 2.0 MULTIJET 16v DIESEL STOP&START	135 at 3500	320 at 1500	111	1.1	5	800	N1	42.2 (6.7)	55.4 (5.1)	49.6 (5.7)	150	4740	1832	1880	

Technical Information & Performance

DOBLO' EURO 5

Effective from 6th September 2011 / Revised on 1st February 2012



Fuel Consumption[†]
MPG (l/100km)

Dimensions (mm)



Version Code	Model/Version description	Power (HP) at RPM	Max Torque (N.m) at RPM	max Speed (MPH)	Payload Volume (m ³)	Seats	Nominal Payload (Kg)	Body	Urban	Extra-urban	Combined	CO ₂ (g/km)	L	W	H
COMBI N1 SX															
263.346.0	COMBI N1 SX 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	0.8	5	710	N1	49.6 (5.7)	58.9 (4.8)	55.4 (5.1)	135	4390	1832	1845
263.446.0	COMBI MAXI N1 SX 1.6 MULTIJET 16v DIESEL 90 COMFORT-MATIC STOP&START	90 at 4000	200 at 1500	98	1.1	5	800	N1	49.6 (5.7)	58.9 (4.8)	55.4 (5.1)	135	4740	1832	1880
PLATFORM CAB															
263.A12.0	PLATFORM CAB 1.3 MULTIJET 16v DIESEL SWB	90 at 4000	200 at 1500	-	-	2	1080	N1	-	-	-	-	-	-	-
263.B12.0	PLATFORM CAB 1.3 MULTIJET 16v DIESEL LWB	90 at 4000	200 at 1500	-	-	2	1105	N1	-	-	-	-	-	-	-
263.B13.0	PLATFORM CAB 1.6 MULTIJET 16v DIESEL LWB	105 at 4000	290 at 1500	-	-	2	1105	N1	-	-	-	-	-	-	-
263.B14.0	PLATFORM CAB 2.0 MULTIJET 16v DIESEL LWB	135 at 3500	320 at 1500	-	-	2	1105	N1	-	-	-	-	-	-	-
WORK UP (DROPSIDE CAB)															
263.D12.0	WORK UP 1.3 MULTIJET 16v DIESEL LWB STOP&START	90 at 4000	200 at 1500	88	-	2	1000	N1	45.6 (6.2)	64.2 (4.4)	55.4 (5.1)	133	4965	1872	-
263.D13.0	WORK UP 1.6 MULTIJET 16v DIESEL LWB STOP&START	105 at 4000	290 at 1500	93	-	2	1000	N1	44.1 (6.4)	53.3 (5.3)	49.6 (5.7)	150	4965	1872	-

N1 = Homologated for goods transport


* Major Payload (option 943)

(+) with High Roof (option 360)

[†] Fuel Consumption MPG (l/100km). (EC Directive 80/1268 as amended by 2004/3).

[^] 2125 mm with High Roof

Fuel Consumption and CO₂ Emissions indicated are for Low Roof. Normal Payload versions.



Price List - Equipment

DOBLO' EURO 5

Effective from 6th September 2011 / Revised on 1st February 2012



Code	Description	Linkea Options	Incompatible Options	CARGO MAXI	CARGO SX	CARGO MAXI SX	COMBI N1 ACTIVE	COMBI N1 SX	PLATFORM CAB	WORK UP	Basic Price (£)
502	PASSENGER AIR BAG		4PS	O	O	O	O	S	O	O	175.00
505	SIDE AIRBAGS	(4GP & 502) or (502 & 627)	785	O	O	O	O	O	O	-	295.00
508	REVERSE PARKING SENSORS			O	O	O	O	O	-	-	185.00
516	PLAIN REAR DOORS		148, 360, 519	-	-	-	O	O	-	-	-
519	TWIN GLAZED REAR DOORS	194 or 199	070, 148	O	O	O	S (O on MAXI)	S (O on MAXI)	-	-	135.00
523	NEAR-SIDE SLIDING SIDE DOOR			O	S	S	S	S	-	-	225.00
526	BODY-COLOURED 3RD ROW PANELS			-	-	-	O	O	-	-	-
52Y	PTC HEATER FOR DIESEL (DIESEL ENGINES ONLY)	5BY		O	O	O	O	O	O	O	110.00
55D	GLAZED KIT: WINDOWS IN SIDE PANELS / SIDE LOAD DOORS (FIXED GLAZING; EXCLUDES REAR QUARTER PANELS)	(194 or 199) AND either (519 or 148)		O	O	O	-	-	-	-	95.00
552	BULKHEAD SOUNDPROOFING		194	O	O	S	-	-	-	-	55.00
56K	BULKHEAD FOR COMBI N1 GOODS	008	104	-	-	-	O	O	-	-	85.00
561	3RD IGNITION KEY			O	O	O	O	O	O	O	20.00
58F	DETACHABLE INTERNAL LIGHTING (Torch)			O	O	O	-	-	-	-	40.00
585	REAR ROOF FLAP	58F	148, 360	O	O	O	-	-	-	-	235.00
58Y	EXTERNAL TEMPERATURE SENSOR	041		O	O	O	O	O	O	O	35.00
5DE	STOP&START (1)	5SE OR 6L7 523 or 523+055		S	S	S	-	-	-	-	225.00
5IX	INTERNAL HANDLE	5DE		S	S	S	S	S	S	S	595.00
5SE	EURO 5 ENGINE			O	O	O	O	O	O	O	65.00
627	HEIGHT ADJUSTABLE DRIVER'S SEAT & LUMBER SUPPORT	295 or 297 or 452	4GP, 728	O	O	O	O	O	O	O	-
658	PASSENGER SEAT UNDERTRAY			S	S	S	S	S	S	S	-
65W	BLUE&ME INCLUDING ECO-DRIVE PROFESSIONAL	008 (only for Combi & Platform Cabs) 245, 41A, 4HL, 4FU and either 4GP or 627	315	O	O	O	O	O	O	O	350.00
68R	PREDISPOSITION FOR PDA NAVIGATION SYSTEM (TOM TOM)	6J8	315	O	O	O	O	O	O	O	Incl in 6J8
6J8	PACK BLUE & ME (65W+4HL+41A+245+68R)	4FU	315	O	O	O	O	O	O	O	445.00
617	EURO 5 ENGINE	5DE		S	S	S	S	S	S	S	595.00
708	REMOTE CONTROL KEY (PLATFORM CAB & WORK UP ONLY)	4YV, 658 or 561,658	295, 297, 627 452, 505	-	-	-	-	-	-	-	35.00
728	LEATHERETTE SEAT TRIM			O	O	O	-	-	-	-	85.00
785	ADJUSTABLE PASSENGER SEAT (COMBI ONLY)			-	-	-	-	-	-	-	35.00
798	LOAD AREA PVC LINING			O	O	S	-	-	-	-	65.00
806	HEATED DIESEL FILTER			S	S	S	S	S	S	S	-
823	12V FRONT PLUG IN SOCKET			S	S	S	S	S	S	S	-
876	BODY-COLOURED BUMPERS			O	O	O	O	O	O	O	85.00
878	FULL WIDTH WHEEL TRIM COVERS			S	S	S	S	S	S	S	35.00
927	SIDE RUBBING STRIPS			S	S	S	S	S	S	S	-
928	PARTIAL CELLOPHANE WRAP			S	S	S	S	S	S	S	-
943	LARGER PAYLOAD	144, 44B	057, 108, 141, 758	O	O	O	-	-	-	-	165.00
976	BODY COLOURED MIRRORS			O	O	O	O	O	O	O	45.00
980	NORMAL SIZE SPARE WHEEL			S	S	S	S	S	S	S	-
983	INTERNAL TRANSVERSE HIGH-LEVEL LOAD BARS		499	O	O	O	-	-	-	-	220.00
989	SMOKERS KIT			O	O	O	O	O	O	O	20.00
990	MUD FLAPS FRONT & REAR		197	O	O	O	O	O	O	O	45.00

(1) Stop&Start not available on a specific version based on 263,112.0

KEY:

- = Not Available (N/A)
- S = Standard (Std)
- O = Optional

IMPORTANT NOTICE

Whilst every reasonable precaution is taken in the preparation of catalogues, technical circulars, price lists and other literature, these documents are for the buyers' general guidance only. The contents of this spreadsheet are therefore not to be treated as representations as to the current availability of products as described, or as products actually offered for sale. Fiat Group Automobiles UK Ltd reserves the right to make changes at any time, without notice, to prices, colours, materials, equipment, specifications and models and also to discontinue models.

The buyer should consult their Fiat Professional Dealer for current information. This price list cancels all previous issues. The prices shown are those recommended by the manufacturer and are applicable to UK sourced vehicles from Fiat Group Automobiles UK Ltd.

Registered office: Fiat House, 240 Bath Road, Slough, Berks SL1 4DX

Registered in England and Wales 201514

www.fiatprofessional.co.uk